

# ORIGINAL OAK Floors co.

SUSTAINABLY SOURCED AND CRAFTED A BESPOKE FACTORY. ORIGINAL OACTOORS ARE THE EPITOME OF EXCELLENCE AND PIONEERED TO PERFECTION TO PROVIDE FLOORS THAT COMPLIMENT ANY ENVIRONMENT.



# CONTENTS

About Original Oak Floors Co.	01
Introduction	02
Prestige, Signature & Artisian Series	04 - 11
Surface Techniques	12
Original Oak Specifications	13
Our Responsibility to the Environment	17
Bona Coating Technique	19
Original Oak Advantages	20
Our Promise	23
Original Oak Hardwood Core	23
Original Oak Accessories	24
Original Oak Quarter Sawn	25
Floor Maintenance Tips	26
Warranty Conditions	29



STRUCTURAL WARRANTY



-

喇

DOMESTIC WEAR WARRANTY



COMMERCIAL WEAR WARRANTY



### ABOUT ORIGINAL OAK FLOORS CO.

Original Oak Floors prides itself in sourcing sustainable wood for its flooring.

Our focus is on providing options that not only provide beautiful floors but our responsibility to the environment, throughout our years of research and expertise we are able to provide the most sustainable flooring options from the forests to our factories to our clients.

Wood is the most renewable resource in the world, not only is it the better option for the environment in terms of greenhouse emissions, air and water pollution but it also helps reduce energy consumption, can improve energy efficiency and helps sustain our forests and increases our carbon storage potential.

You can be rest assured that your beautiful floors are the right choice for your family and the environment.

### INTRODUCTION

The Original Oak range uses character grade French Oak, inspired by the 18th Century French Farmhouse and engineered to perfection to accommodate to the constantly changing industry. In today's world with the advancement in technology we are able to focus on the designing, sculpting, shaping, toning, colour, texture and pedigree to provide a timeless look for all our customers whether it be a contemporary or classical space.

This bespoke collection incorporates processes developed over centuries to provide our customers with naturally aged oak timber, with the use of stringent milling processes and drying techniques along with modern technology and finishing techniques, the reactive stains provide an array of colours that compliment different wall colours. The layered accents and tonal variations integrate flawlessly into heritage designs but will also add character to any contemporary home


Original Oak flooring prides itself in being able to provide unique world leading flooring solutions, that have gone under stringent processes to manufacture- surface brushing, unique surface distressing, reactive stains and environmentally friendly coatings. The beauty in our work speaks for itself and will transform your space into a work of art.

It's never been easier to experience such distinctive beauty in your space, maintaining a luxurious look and textural feel underfoot.






**ORIGINAL BOARDS** 190 x 2450 x 14.2mm



#### **ORIGINAL BOARDS** 190 x 2450 x 14.2mm



#### **ORIGINAL BOARDS** 190 x 2145 x 14.2mm



#### **ORIGINAL BOARDS** 190 x 2450 x 14.2mm





### **SIGNATURE SERIES**

#### **ORIGINAL BOARDS** 290 x 2450 x 14.2mm




### **SIGNATURE SERIES**

#### **ORIGINAL BOARDS** 290 x 2450 x 14.2mm




# **ARTISAN SERIES**

#### **ORIGINAL BOARDS** 120 x 840 x 14.2mm



### **ARTISAN SERIES**

#### **ORIGINAL BOARDS** 120 x 840 x 14.2mm



# SURFACE TECHNIQUES

Original Oak's collection is at once on-trend and timeless. It's Captivating details are embedded in each and every board, achieved through exquisite craftsmanship and attention to detail. Emphasizing grains and knots, brushing and hand scraping, tool markings, wire brush marking, and distressed markings to produce unique finishes allowing you to feel the rustic characters of French Oak on your fingertips.

Original Oak staining is a very complex process, that reacts with the tannin content to create the designer colour palette.



# ORIGINAL OAK SPECIFICATIONS

0

SIZE	190x2130mm   290x2450mm   120x840mm
FINISH	Natural Bona UV Lacquer
97	8% MattLacquer 8% Matt
SPECIES	French Oak
CORE STRUCTURE	Hevea Hardwood
PACKS	16% Nested Boards
INSTALLATION SYSTEM	Tongue and Groove
JANKA	7.0
WARRANTY	10 year Commercial 20 Years Domestic
STRUCTURAL WARRANTY	Lifetime

MONTPELLIER





OUR BESPOKE FLOORS ARE ACCOMPANIED BY THE GLOBALLY RECOGNIZED TOUNGE AND GROOVE LOCKING SYSTEM. THIS PIONEERED SYSTEM CREATES A STRONG AND ROBUST INSTALLATION WITH A VISIBLE AND AUDIBLE LOCKING FUNCTION, ENSURING TIME EFFICIENCY AND SECURE INSTALLATION AS WELL AS PROTECTING THE FLOORS DURING CLIMATE CHANGE AND FORCE APPLIED TO THE FLOOR.

### OUR RESPONSIBILITY TO THE ENVIRONMENT



Original Oak floors take pride in their stringent processes to source sustainable materials to protect the environment. These processes also ensure we are providing our customers with alluring flooring solutions whilst not compromising their health and safety. Thus we use Swedish producer Dynea's adhesive to maintain and uphold our promise to our environmentally friendliness, Dynea provides solutions that comply with emissions from off gasses (VOC) whilst ensuring superior bond strength and not compromising on quality.

Original Oak floors are manufactured under some of the worlds strictest testing laws, throughout Europe and Japan with a final test in Australia, as well as our own quality assurance processes in place, so you can be at ease that you are making the best decsion for your flooring needs.







### BONA COATING TECHNIQUE

Original Oak Floors is able to provide aesthetically pleasing and perfect floors. With years of expertise and innovative options available we are able to provide increased added value to our customers by providing surface properties like adhesion, abrasion resistance, indentation hardness and scratch resistance.

To ensure a streamline process from start to finish we use BONA coating who pride themselves in providing high quality, innovative coating solutions so you are left with durable highly polished floors.

#### **KLUMPP BENEFITS**

- Designed to emphasise on the naturalness of the wood material
- Protect efficiently against everyday signs of wear
- High Quality, Environmental and Sustainability standards

### **ORIGINAL OAK ADVANTAGES**

All our products adhere to our promise to the environment and mother nature is the core of our business values, from the French Oak, adhesives and Hevea Hardwood core, as well as our tongue and groove system you can be at ease knowing that we have provided the best solutions that are not harming the environment

Original Oak is pioneered to perfection in world leading facilities. Our devotion to providing premium materials is in our consistency in our standards in our manufacturing premises. The stringent measures in place and continuing devotion to investing in research and development as well word class technology allows us to bring our vision of hope that once you experience our products they will be referral worthy and you will become a client for life.

You can be rest assured that our French Oak is 100% a premium product from our legally logged plantation forests, the high density timber and tannin content provides the most beautiful selection of deep natural colours.

The foundation of the flooring is the most important part of the flooring that is why our floorboards are made of Good Wood Hevea, Hevea provides extreme strength and stability to ensure your floors are to the highest standards. By choosing Original Oak you will be provided with hand crafted boards where no two boards are the same, with superior craftsmanship and unique techniques you can be assured that your aesthetically pleasing floors will not be found anywhere else. The tongue and groove locks your floors in place and provides life long support, stability and durability

The Dynea adhesives used from the Swedish manufacturer are world leaders in its strength without compromising the environment

The colour palette that Original Oak provides is unequalled and reflects the beauty of our natural products. To ensure our beautiful floors preserve these colours, BONA coatings are used to provide tough scratch resistance floors free of hazardous materials

From the forest, to factory, to showroom to final installation there are stringent measures in place for testing to provide durability, environmentally friendly floors that do not compromise on beauty and quality.





### **OUR PROMISE**

Our promise to provide only the most premium product is in sourcing our raw material. Original Oak Floors Co. sources authentic Artisan French Oak grown in the Allier region. The excellent growing conditions create a masterpiece, harvesting in these conditions is vital to ensure that the wood contains a high tannin content making it the best choice for quality durability and style with a sophisticated colour range.

Original Oak floors has partnered with our Malaysian supplier (Manufactured in Indonesia) to ensure we are able to provide only the most signature pieces, manufacturing each piece of timber to perfection with constant investment in R&D to create masterpieces for our customers.

# **ORIGINAL OAK HARDWOOD CORE**

Hevea Brasiliiensis is an excellent environmental option for our floors to create the core of flooring because it creates greater dimensional stability and can withstand external pressure such as temperature, moisture and air.

The foundation of our floors need to be parallel with the quality of French Oak, with similar features in terms of density and strength we only use the best plantation species, at 25-30 years the trees reach an age where natural latex yield is no longer sufficient, so it is ready for use in creating strong floors.

The installation of our floors comprises of three parts and Original Oak Hardwood floors creates a solid feel, that proves the stability of the product.

# **ORIGINAL OAK ACCESSORIES**

#### **STAIR NOSING**

Our Architecturally designed stair nosing protects the tread of the stairs and is available in our colour range.

#### UNDERLAY

Original Oaks underlays are designed for the test of time, they ensure a firm fit to the floor to ensure excellent results.

#### SCOTIA

This is the perfect additional accessory to add to your floors for that neat finish, available in all our colours.






Converting a log into a board goes through a milling process, Quarter Sawing is a woodworking process that produces quarter-cut boards, each type of timber is determined by how it is rotated at the sawmill when cutting, providing the definition to the boards. Quarter Sawn boards also

have advantageous characteristics of greater stability of form and size and are resistant against change which is beneficial for timber as timber can absorb and shed moisture and can result in expanding or shrinking.

This is an important process for Original Oak floors, and what gives our floors the aesthetic appeal. Although Quarter Sawing is a more expensive and intensive process where the growth rings intersect the face of the board at 60 to 90 degree angle but we take pride in our floors and only use the most beneficial techniques.



LAUZON

# FLOOR MAINTENANCE TIPS







### WARRANTY CONDITIONS

#### WARRANTY CONDITIONS:

- Installation is installed in strict accordance with current written installation instructions
- Wet Areas is not suitable for installation in bathrooms, saunas, laundries or any other area in which high levels of steam and moisture are present.
- Maintenance Care guidelines must be adhered to.
- Non-Assignment the warranty is limited to the original purchaser and may not be assigned or transferred.

#### LIFETIME STRUCTURAL WARRANTY:

The manufacturer warrants its product from structural defects, delamination, cracking, warping, twisting or any other forms of structural deformation at the time of supply.

Installation instructions must be adhered to so that this warranty applies. Please ask your retailer for these guidelines.

Exposure to excessive moisture caused in any way whatsoever such as flooding, spills, leaks, excessive wet mopping , steam mops, subfloor moisture or heating may cause distortion within the board and will not be covered by this warranty. Care should be taken to maintain even indoor humidity and temperature with good ventilation. Excessive heat dryness or exposure to direct sunlight will cause damage to the goods and is considered negligence and is not covered by this warranty.

#### 20 YEAR DOMESTIC LIMITED SURFACE WARRANTY

#### 10 YEAR COMMERCIAL LIMITED SURFACE WARRANTY

From the date of purchase, the manufacturer warrants to the original purchaser only, that under normal domestic conditions of use the surface will not wear through, during this period warranted.

With proper maintenance, the goods will perform under normal household conditions. Scratches, dents, reduction of gloss (appearance reduction), damage caused by negligence, urine, animals or high heeled shoes. These are not considered a defect and therefore not covered by this warranty.

All furniture requires felt to be adhered to the underneath to protect the surface of your floor, from time to time this will need to be maintained and checked for wear.

A written notice must be received by the supplier within 30 days of discovery of any defect to be found, along with proof of purchase (date) the identity of wholesaler or retailer and the location of installation. The supplier will acknowledge within 30 days the receipt of written notice and must be given the opportunity to inspect the floor prior to any repair or replacement is to take place.

#### WARRANTY EXCLUSIONS:

Original Oak Floor CO for the purpose of this warranty will be referred to as 'the supplier' Breach of Warranty Conditions - any breach of warranty conditions will void the warranty.

#### **COLOUR VARIATION**

Oak is a natural product and colour variation will occur between samples and what the supplier has delivered and installed. Samples displayed or provided are indicative only and within normal industry standards, and no warranty is given that such samples will match the floor installed. Other variations will naturally occur such as small knots and grain variation. These variations normally present in oak, are not considered defects and will not form the basis of any claim under warranty.

Oak may also experience some surface checking (hairline cracks) this too is part of all natural products and not covered by warranty.

#### **SUB-FLOOR HEATING**

Original Oak Floors Co. is suitable for installation over sub-floor heating. However specific installation instructions must be followed or the warranty will be voided.

#### **EXTREME CONDITIONS**

As oak is a natural product, the humidity level in the home must be in the 30% - 75% range throughout the year, using dehumidifiers or humidifiers as appropriate.

#### MISUSE

The warranty does not extend to damage caused by moisture penetration through the sub-floor, other flooding, leaking, plumbing, overflowing, hydrostatic pressure or any other water damage.

#### **ALTERATIONS**

Where floor or sub-flooring has been altered, repaired, resurfaced or replaced no warranty will apply except to the extent implied by law.

#### **INSECT INFESTATION**

The supplier warrants that it sells oak flooring free of insect infestation, this warranty does not cover any insect infestation occurring after the product has been sold.





ORIGINAL OAK

#### CONTACT INFORMATION:

NINA@ORIGINALOAKFLOORS.COM.AU 0426 099 004 ORIGINALOAKFLOORS.COM.AU